

CRYOG



WATER-REPELLENT CRYOGENIC LEATHER GLOVE

Ref. CRYOG



Características del producto

Water-repellent cowhide full grain leather. Aluminized polyester insert. Cowhide split leather cuff. Hand and cuff in synthetic. American assembly. 20 cm cuff. Length: 40 cm.

Full grain waterproof treated cowhide (TECHNICUIR).

Thickness of between 1.1 and 1.3 cm.

Insert aluminised polyester.

Synthetic lining.

Split cowhide leather cuff.

Kevlar® Technology sewn.

COLOUR

Grey-Beige

SIZE

10

Usos del producto - Riesgos



COLD



Wearing



Heavy industry

Los productos + - Beneficios para el usuario



Water repellent leather

Good splash protection



Velcro tape

Adjustable fit



Aluminised polyester

Thermal protection



Tested with liquid nitrogen using method MR019

Work in all safety up to -196°C (a few seconds)

Superior quality

Increased lifespan
Comfortable to wear
Flexibility

Certificaciones - Normas



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

2: Dexterity (from 1 to 5)

4/4 >180 mn: Waterproofing : Ability of the glove to withstand the penetration of water, moisture.

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)



2: Resistance to abrasion (from 1 to 4)

2: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

2: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN511:2006 Protective gloves against cold (X = Unrealized test)

2: Resistance to convective cold (from 1 to 4)

3: Resistance to contact cold (from 1 to 4)

X: Waterproof (0 or 1)

EN420:2003+A1:2009 4.2 Glove - Resistance to water penetration

4/4 ≥ 180 mn: Level of performance - Time of penetration

Referencias

Referencias	Código de barras	COLOUR	SIZE		
CRYOG10	3295249026844	Grey-Beige	10	36	6